



Perilice sušilice

CSWS 4852DWE/1-S

ENVIRONMENTAL PROPERTIES OR CHARACTERISTICS

Product recyclability	
Recycled material in the product	0
Rare earths in the product, contains at least (mg)	9
Precious metals in the product, contains at least (mg)	15
Packaging recyclability	
Recycled material in the packaging	0
Possibility of reusing packaging	Ne

GLAVNE ZNAČAJKE

Identifikacijska oznaka modela	CSWS 4852DWE/1-S
Šifra proizvoda	31010538
Barkod	8059019005980
Ugradbena / Samostojeća	Samostojeća
Kapacitet pranja - pamuk (kg)	8
Kapacitet sušenja - pamuk (kg)	5
Maksimalna brzina centrifuge (rpm)	1400

TEHNIČKE KARAKTERISTIKE

Povezivanje	Dodatni sadržaj i kontrola blizine (NFC)
IoT App	simply-Fi
Elektronika / zaslon	2D timer small
Materijal bubnja	Nehrđajući čelik
Motor	AC
Vrsta utikača	Schuko
Napon (V)	220-240
PROGRAMI I FUNKCIJE	
Woolmark certifikat	Ne
Quick dry funkcija	Ne
Broj programa	
Odgoda početka	Da (do 24h)
Tehnologija	Mix Power System
Funkcija pare	Da
DIZAJN	
Boja / materijal uređaja	Bijela
Boja / materijal vrata	Bijela
Boja / materijal ručke	Smoky Black
ENERGETSKE ZNAČAJKE	
Razred energetske učinkovitosti za ciklus pranja (program ECO 40-60°C)	C
Razred energetske učinkovitosti za ciklus pranja i sušenja	E
Razred učinkovitosti centrifugiranja	B
Ponderirana potrošnja energije na 100 ciklusa za ciklus pranja (kWh)	63
Ponderirana potrošnja energije na 100 ciklusa za potpuni ciklus pranja i sušenja (kWh)	326
Trajanje programa ECO 40-60°C za nazivni kapacitet (hh:mm)	218
Trajanje ciklusa pranja i sušenja za nazivni kapacitet (hh:mm)	440
Razina buke tijekom faze centrifuge (dBA)	79

Razred emisije buke koja se prenosi zrakom	C
Potrošnja vode po ciklusu pranja (program ECO 40-60°C) pri kombinaciji potpunog i djelomičnog kapaciteta (L)	44
Potrošnja vode po ciklusu pranja i sušenja (L)	75
DIMENZIJE	
Visina	85
Širina	60
Dubina	53
Syvyys (ilman putkea ja ovea)	470
Visina zapakiranog uređaja (mm)	890
Širina zapakiranog uređaja (mm)	650
Dubina zapakiranog uređaja (mm)	560
Neto težina (kg)	64
Bruto težina (kg)	66